

डॉ. बी.आर.सी. कृषि अनुसंघान केन्द्र (कृषि विश्वविद्यालय जोघपुर) मण्डोर, जोघपुर—342 304, राजस्थान

Dr. B.R.C. Agricultural Research Station (Agriculture University, Jodhpur)

Mandor, Jodhpur-342 304 Rajasthan

Telefax: 0291-2571813, Email: arsmandor@gmail.com

क्र. एफ.()/के.म./निविदा/कृ.अ.के./मंडोर/2024-25/387-U

दिनांक:- 03.02.2025

निविदा आमंत्रण सूचना

डॉ. बी.आर.सी. कृषि अनुसंघान केन्द्र, मंडोर (कृषि विश्वविद्यालय, जोघपुर), जोघपुर को Executive desk, Office table, Multipurpose Lab Table with granite top, Executive High back chair, Executive visitor chair, Lab stool, Office almirah, Slotted angle rack, Filing cabinet, Computer ALL in one, Printer All in One, Multipurpose storage cabinet and Computer table की आपुर्ति हेतु निविदा लगभग 5.0 लाख रुपये (अक्षरे पाँच लाख रुपये) आमंत्रित की जाती है। इच्छुक व्यक्ति निविदा प्रपत्र एवं शर्ते राजस्थान राज्य लोक उपापन पोर्टल http://sppp.rajasthan.gov.in पर अथवा कृषि विश्वविद्यालय, जोघपुर की वेबसाइट www.aujodhpur.ac.in पर पढ़ी जा सकती है। निविदादाता घरोहर राशि रुपये 10000/— (अक्षरे दस हजार रुपये मात्र) व निविदा प्रपत्र शुल्क : रुपये 500/—(अक्षरे पाँच सौ रुपये मात्र) दिनांक 17.02.2025 को सुबह 11.30 बजे तक इस कार्यालय में बैंक ड्राफ्ट या चैंक के साथ जो कि क्षेत्रीय निदेशक अनुसंघान, डॉ. बी.आर.सी. कृषि अनुसंघान केन्द्र, मंडोर—जोघपुर (Zonal Director Research, Dr BRCARS, Mandor, Jodhpur) के नाम देय हो, संलग्न कर जमा करवा सकते हैं तथा निविदा उसी दिन दोपहर 02.00 वजे पश्चात् उपस्थित निविदादाताओं के समक्ष खोली जायेगी। निविदा को स्वीकृत/अस्वीकृत/स्थित/निरस्त आदि करने का अधिकार अघोहस्ताक्षरकर्ता के पास सुरक्षित रहेगा।

क्षेत्रीय निदेशक अनुसंघान
Zonal Director Research
Or. ब्र.R. Chaudhary Agricultural Research Station
(Agriculture University, Jodhpur)
Mandor, Jodhpur-342304

डॉ. बी.आर.सी. कृषि अनुसंधान केन्द्र, मंडोर—जोधपुर कृषि विश्वविद्यालय, जोधपुर

त्तकनिकी निविदा प्रपन्न

(Executive desk, Office table, Multipurpose Lab Table with granite top, Executive High back
chair, executive visitor chair, Lab stool, Office almirah, Slotted angle rack, Filing cabinet.
Computer ALL in one, Printer All in One, Multipurpose storage cabinet and Computer table)
निविदा प्रपन्न शुल्क रू 500/—(अक्षरे रू. पाँच सी मान्न) निविदा प्रपन्न संख्यारसीद संख्या / बैंक ड्राफ्ट या बैंकर चैंक संख्यारसीद संख्या / बैंक ड्राफ्ट या बैंकर चैंक Zonal Director Research, Dr BRCARS, Mandor, Jodhpur के पक्ष में भुगतान योग्य होना चाहिए। निविदा सूचना क्र. एफ.() / क.म. / निविदा / कृ.अ.के / मंडोर / 2024—25 / .38 भित्नांक 03.02.2025 के तहत डॉ. बी.आर.सी. कृषि अनुसंधान केन्द्र, मंडोर (कृषि विश्वविद्यालय, जोधपुर), जोधपुर पर Executive desk, Office table, Multipurpose Lab Table with granite top, Executive High back chair, Executive visitor chair, Lab stool, Office almirah, Slotted
angle rack, Filing cabinet, Computer ALL in one, Printer All in One, Multipurpose storage cabinet and Computer table हेतु निविदा प्रपत्र धरोहर राशि रू 10000/ (अक्षरे दस हजार रुपये मात्र) बैंक ड्राफ्ट या बैंकर चैक संख्यादिनांकदिनांक
दूरभाष नंबर यदि हो: मोबाइल नं.

Executive desk, Office table, Multipurpose Lab Table with granite top, Executive High back chair, Executive visitor chair, Lab stool, Office almirah, Slotted angle rack, Filing cabinet, Computer ALL in one, Printer All in One, Multipurpose storage cabinet and Computer table का विवरण

SI. No.	No. Executive desk Executive desk with square tabular frame, 3 drawer unit in one side and drawer cum filing cabinet on the other side with a foot rest and knee cover.		
1.			
	- Allengar sesse. National sesse is last	 Overall Size: 1680L x 900D x 750H mm:-(66" L x 35.4" D x 29.5"H inch) 	
	The high strains	Material Description:	
		 Main Top of 25mm thick. Wood based high quality Pre- laminated Particle board (PLB) of TESA with 2mm PVC Beading. 	
		 Top frame of 20swg CRCA sheet IS 513 grades. 	
		 Leg frame & Footrest of 25x25x1.2mm of ERW square tube. 	N. S.
		 3 & 2 drawer unit manufactured from CRCA sheet IS 513 in required swg with good quality cam locking & PVC Handle. Knee panel of CRCA sheet IS 513 grades. 	
	7 g	Good quality PVC shoes.	
		 All steel parts should be epoxy polyester powder coated to the thickness not less than 50 microns finish after 10 tank anti-rust treatment and B grade phosphating (in house) & same should 	
		be demonstrated.	
		The bidder should have valid certifications for quality, environment, energy etc. such as ISO 9001:2015(NABCB	
		accreditation)14001:2015, OHSAS 45001:2018, ISO 50001:2018, ISO 13485:2016, Green guard, ZED gold certificate, SEFA 8-	
*	Maria de la Ma La maria de la	M:2016, CE certificate, WHO-GMP certificate, IGBC membership & valid copy of certificates should be uploaded. Vendor must be BIFMA MEMBER company from last 10 years.	

Smoot

2.	footrest.		
		➤ Table top size: W-1200×D-599 (mm) [48" × 24"] ➤ Material specification:	
		Table top: use best quality top of 19 mm thick PLB of TESA	
		with ISI marking from branded manufacturer.	
		• 4 sides of the top should be banded with high quality 2mm PVC edge beading by hot melt glue process in 180°C.	
		• Frame structure: 16 swg CRCA 'C' channel frame under the	
		top and square tubular ERW pipe frame of 1" to 1.5" is to be provided in tables.	
		Drawer mounted on telescopic channel.	
		➤ Locks & Security: Best quality locks with 6 levers inbuilt locking system, with non-interchangeable S.S. keys in duplicate are to be provided.	
		 The snap shutting locking system, i.e. one upper drawer lock should automatically close other drawers. 	
		Finishing: All steel parts should be epoxy Polyester Powder Coated	
	A second of	to the thickness not less than 50 microns finish after 10 tank anti-	
		rust treatment and B Grade Phosphating (in house) & & same should be demonstrated.	
		➤ The bidder should have valid certifications for quality, environment, energy etc. such as ISO 9001:2015(NABCB	
		accreditation)14001:2015, OHSAS 45001:2018, ISO 50001:2018,	
		ISO 13485:2016, Green guard, ZED gold certificate, SEFA 8-	
		M:2016, CE certificate, WHO-GMP certificate, IGBC membership & valid copy of certificates should be uploaded. Vendor must be	
		BIFMA MEMBER company from last 10 years.	
3.	Multipurpose	> Multipurpose or Lab Table for 4 persons with 18 mm granite top,	02
	Lab Table with granite top	square tubular frame.	
	granite top	 Overall size: W-96x D-60 x H-36(inch) Material Description: Main top 18mm thick granite top and 3 side 	
		edge process top. Top frame of 1.21mm thick. (18swg) CRAC sheet IS 513. Table frame structure made up of prime quality MS ERW	
		square tube 40x40mm of 18swg. Good quality PVC Shoes.	
		All steel parts should be epoxy polyester powder coated to the thickness not less than 50 microns finish after 10 tank anti-rust	
		treatment and B grade phosphating (in house) & & same should be	
		demonstrated. > Storage system both side 1 drawer & cupboard. Upside storage	
		stackable rack with 2 shelves both side size: -30x30x12inch	
		The bidder should have valid certifications for quality, environment, energy etc. such as ISO 9001:2015(NABCB	
		accreditation)14001:2015, OHSAS 45001:2018, ISO 50001:2018,	
		ISO 13485:2016, Green guard, ZED gold certificate, SEFA 8-	
		M:2016, CE certificate, WHO-GMP certificate, IGBC membership	
		& valid copy of certificates should be uploaded. Vendor must be BIFMA MEMBER company from last 10 years.	
4.	Executive High	Executive High back chair seat and back covered with ABS shell	01
	back chair	dual layered PU foam cushion.	

grand

		 Should be tested by approved BIFMA standard laboratories confirming to ANSI/BIFMA on functional requirement. Overall Size (approx): 11:105-117.5 x W:76.3 x D:76.3 (cm), Seat Height: 46 to 58.5(cm) Material Description: Centre tilt mechanism, tilt locking: Frame structure: Seat and, back from hot mould plywood of minimum 12 mm thickness of ergonomic design to avoid back pain. Seat Height adjustment and ergonomics: With pneumatic gas lift with 300 N force stroke length of 12.5 cm. Seat height should be adjustable and optimum height is 44-56.5 cm so that feet should be touching parallel to the floor to ensure smooth blood circulation of legs. The bidder should have valid certifications for quality, environment, energy etc. such as ISO 9001:2015(NABCB accreditation)14001:2015, OHSAS 45001:2018, ISO 50001:2018, ISO 13485:2016, Green guard, ZED gold certificate, SEFA 8-M:2016, CE certificate, WHO-GMP certificate, IGBC membership & valid copy of certificates should be uploaded. Vendor must be BIFMA MEMBER company from last 10 years. 	
5.	Executive visitor chair	 Executive visitor chair should be tested by approved BIFMA standard laboratories confirming to ANSI/BIFMA on functional requirement. Overall Size (approx.): H:80.5 x W:55 x D:61 (cm) Seat Height: 44 (cm) Material Description: Frame structure: Seat & back from hot mould plywood of minimum 12 mm thickness of ergonomic design to avoid back pain. Steel frame: Main frame of Cantilever type 625mm x 2.0 mm (14 swg) thick. ERW prime quality round tube. Tapestry: Tapestry should be tested quality such as stain test, ultra violet test, glue test and colour fastening with average weight of 450 grams per square meter. (All the stitches of seat and back boarder should be covered by plastic beading of black cover for elegant look. Cushioning: PU foam having density of 40 kg for back and 50 kgs/m3 for seat. Average thickness of foam not less than 50 mm + 10 mm Polly foam. Arm rest material: single piece round soft virgin quality PU handle reinforced within built steel rib. Finishing of the steel parts: All steel parts should be epoxy polyester powder coated to the thickness not less than 50 microns finish after 	03
	a francisco de la companya del companya de la companya del companya de la company	 10 tank anti-rust treatment and B grade phosphating (in house) & same should be demonstrated. The bidder should have valid certifications for quality, environment, energy etc. Such as ISO 9001:2015(NABCB accreditation) 14001:2015, OHSAS 45001:2018, ISO 50001:2018, ISO 13485:2016, Green guard, ZED gold certificate, SEFA 8-M:2016, CE certificate, WHO-GMP certificate, IGBC membership & valid copy of certificates should be uploaded. Vendor must be BIFMA MEMBER company from last 10 years. 	
6.	Lab stool	 Lab stool iron with wooden top size: -15x15x24" fixed square stool with MS square frame with wooden top of 18mm thick Material Description: MS top 1.2mm thick. (18swg) CRCA sheet IS 513 Grade. Stool frame structure of 25x25x1.2mm (18swg.) 	06



<u> </u>			
		 ERW square pipe CRC sheet 1S 513. Good quality PVC shoes at bottom. All steel parts should be epoxy polyester powder coated to the thickness not less than 50 microns finish after 10 tank anti-rust treatment and B grade phosphating (in house) & same should be demonstrated. The bidder should have valid certifications for quality, environment, energy etc. Such as ISO 9001:2015(NABCB accreditation) 14001:2015, OHSAS 45001:2018, ISO 50001:2018, ISO 13485:2016, Green guard, ZED gold certificate, SEFA 8-M:2016, CE certificate, WHO-GMP certificate, IGBC membership & valid copy of certificates should be uploaded. Vendor must be BIFMA MEMBER company from last 10 years. 	
7.	Office almirah	➤ Office almirah multipurpose storage cabinet with 4 shelves	02
		adjustable shelves making 5 compartments. Overall size (Approx.): H-1980 × W-915 × D-485(mm) (H-78"×W-36"× D-19") Material Specifications: The cupboard should have welded construction with MIG welding process. The material used for constructing the cupboard should be prime quality Cold Rolled Close Annealed (CRCA) Steel as per IS 513 (1994,1998) 'D' grade (for doors and shelves 1.0 mm & other parts as per functional requirements. The doors provided should be full height steel hinged doors. The handle & key hole cover provided should be of latest design, easy to grip, sleek and elegant look. It should have a 3-way shooting bolt locking mechanism, minimum 6 levers with S.S. duplicate keys. Shelving: Adjustable shelves with minimum 8 bends. The UDL capacity per full shelf should be not less than 40 Kg. All steel parts should be epoxy polyester powder coated to the thickness not less than 50 microns finish after 10 tank anti-rust treatment and B grade phosphating (in house) & same should be demonstrated. Testing equipment is calibrated through NABL approved lab and copy of the same should be provided if required. The bidder should have valid certifications for quality, environment, energy etc. Such as ISO 9001:2015(NABCB accreditation) 14001:2015, OHSAS 45001:2018, ISO 50001:2018, ISO 13485:2016, Green guard, ZED gold certificate, SEFA 8-M:2016, CE certificate, WHO-GMP certificate, IGBC membership & valid copy of certificates should be uploaded. Vendor must be BIFMA MEMBER company from last 10 years.	
R	Slotted angle	Slotted angle rack (Onen type) Overall sizes U 7011 V W 267 V D	0.4
8. Slotted angle rack (Open type) Overall size: H-78" X W-36" X D 15"Angle: 40 x 40 x 2 mm (4 nos.) Shelves: 36" x 15" (22 swg. 6 nos., 8 bend) Corner plate: 8 nos.Galvanized Nuts & bolts: 64 nos Shoes: 4 nos. The raw material used should be of PRIME quality CRCA as per IS 513 (1994,1998) 'D' grade.		04	
186			5, 5 E 5 Es

grood

 Finishing: All steel parts should be of epoxy Polyester Polyester Polyester to Coated to the thickness of 50 microns finish after 10 tank and treatment and B Grade Phosphating (in house). Testing equipment should be calibrated through NABL applab and copy of the same should be provided if required. 			,
		The bidder should have valid certifications for quality, environment, energy etc. Such as ISO 9001:2015(NABCB accreditation) 14001:2015, OHSAS 45001:2018, ISO 50001:2018, ISO 13485:2016, Green guard, ZED gold certificate, SEFA 8-M:2016,	
		CE certificate, WHO-GMP certificate, IGBC membership & valid copy of certificates should be uploaded. Vendor must be BIFMA MEMBER company from last 10 years.	
9.	Filing cabinet	Four drawer filing cabinet with automatic locking arrangement. Each drawer should be mounted on branded double extension telescopic channel. Overall size: H-1320 × W-470 × D-623(mm) (H-51.9" × W-18.5" × D-24.5") Clear inside size of each drawer: H-250 × W-385 x D-560(mm).	02
-		 The material used for Filing Cabinet should be of prime quality (CRCA) Steel (Drawers from 0.8 mm & other parts as per functional requirement and IS Standard. Testing & Certification: As per functional requirement & BIFMA 	
		 Standard Filing Cabinets are tested by approved Laboratories. Drawer sliding: All the drawers should be fully openable as are mounted on double extension telescopic channel of EBCO make. An anti-rebound mechanism to prevent the drawer from coming out 	* *
	- 18 T	after it is pushed in. > Locks & Security: 6 levers inbuilt branded Lock system with noninterchangeable S.S. Key in Duplicate with automatic snap shut arrangement.	
	,	 An anti-tipping mechanism that allows only one drawer can be opened at a time to prevent toppling of the cabinet. Finishing: All steel parts should be IS 513 'D' Grade and epoxy Polyester Powder Coated to the thickness of 50 microns finish after 	
		 10 tank anti-rust treatment and B Grade Phosphating (in house). The bidder should have valid certifications for quality, environment, energy etc. Such as ISO 9001:2015(NABCB accreditation) 14001:2015, OHSAS 45001:2018, ISO 50001:2018, ISO 	
		14001:2015, OHSAS 45001:2018, ISO 50001:2018, ISO 13485:2016, Green guard, ZED gold certificate, SEFA 8-M:2016, CE certificate, WHO-GMP certificate, IGBC membership & valid copy of certificates should be uploaded. Vendor must be BIFMA MEMBER company from last 10 years.	
10.	Computer ALL in one	Computer ALL in one,13th Gen Intel Core i7-1355U, 23.8inch (60.5 cm), FHD, Anti-Glare, 16 GB DDR4, 512GB SSD, 710 White Wireless Keyboard and Mouse Combo, Windows 11, Shell White,	01
		24-cr0037in Processor: Intel Core i7-1355U (up to 5.0 GHz with Intel Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) Memory: 16GB DDR4-3200 MHz RAM Storage: 512 GB	
		PCIe NVMe M.2 SSD Operating System & Software: Windows 11 Home Single Language in S mode; Graphics: 60.5 cm (23.8") diagonal, FHD (1920 x 1080), IPS, three-sided micro-edge, antiglare, 250 nits, 99% sRGB Graphics: Intel Iris X° GraphicsPorts: 1	



	Total Land of Sixt		. L
•		USB Type-C 5Gbps signalling rate; 2 USB Type-A 5Gbps signalling rate; 2 USB 2.0 Type-A; 1 headphone/microphone combo; 1 RJ-45 Features: Wireless Keyboard and Mouse Combo; Realtek RTL8852BE Wi-Fi 6 (2x2) and Bluetooth 5.3 wireless card (supporting gigabit data rate)	
		(su))/orting gignori dinit (inc)	
toner yield provided), Power Cord, Setup Guide, Reference Regulatory/Support Flyers, CD (for APJ only), Hi-Spec (compatible with USB 2.0 specifications); Ethernet 10/1802.11a/b/g/n (2.4/5 GHz) Wi-Fi radio + BLE, built-802.11b/g/n (2.4/5GHz, Auto-On/Auto-Off Technology; In Technology, Black LaserJet Tank Toner Reload Kit (Yiel pages); Print technology Laser Duplex printing Automat technology Contact Image Sensor (CIS) Scan speed (normal		➤ Black Original LaserJet Tank Imaging Drum (~5000 page black toner yield provided), Power Cord, Setup Guide, Reference Guide, Regulatory/Support Flyers, CD (for APJ only), Hi-Speed USB (compatible with USB 2.0 specifications); Ethernet 10/100 BT; 802.11a/b/g/n (2.4/5 GHz) Wi-Fi radio + BLE, built-in WiFi 802.11b/g/n (2.4/5 GHz), Auto-On/Auto-Off Technology; Instant-on Technology, Black LaserJet Tank Toner Reload Kit (Yield ~2500 pages); Print technology Laser Duplex printing Automatic, Scan technology Contact Image Sensor (CIS) Scan speed (normal) Up to 20 ppm (b&w), up to 11 ppm (colour) Scan speed footnote, Scan	01
	383	speeds measured from ADF. Microsoft® Windows® 11, 10, 7 SP1:	
		32-bit or 64-bit, 2 GB available hard disk space, Internet connection,	
	9	Microsoft® Internet Explorer or Edge.	
	2 2 2	➤ Manufacturer warranty: One-year limited hardware warranty	
12.	Multipurpose	➤ Multipurpose storage cabinet small with 3 shelves adjustable	01
	storage cabinet	shelves making 5 compartments. Overall size: (H-50"×W-30"× D-	.== = =====
		17")	
		> Material Specifications:	
		• The cupboard should have welded construction with MIG	
		welding process.	
		The material used for constructing the cupboard should be of prime quality Cold Rolled Close Annealed (CRCA) Steel as per IS 513 (1994,1998) 'D' grade (for doors and shelves 1.0 mm &	
		other parts as per functional requirements.	
		The doors provided should be full height steel hinged doors.	
		 The handle & key hole cover provided should be of latest design, easy to grip, sleek and elegant look as shown in the image in the product catalogue. 	
		It should have a 3-way shooting bolt locking mechanism, minimum 6 levers with S.S. duplicate keys.	
		 Shelving: Adjustable shelves with minimum 8 bends. The UDL capacity per full shelf should be not less than 40 Kg. 	
		 All steel parts should be epoxy polyester powder coated to the thickness not less than 50 microns finish after 10 tank anti-rust treatment and B grade phosphating (in house) & same should be demonstrated. 	
		 Testing equipment should be calibrated through NABL approved lab and copy of the same should be provided if required. 	
		➤ The bidder should have valid certifications for quality, environment, energy etc. Such as ISO 9001:2015(NABCB accreditation) 14001:2015, OHSAS 45001:2018, ISO 50001:2018, ISO 13485:2016, Green guard, ZED gold certificate, SEFA 8-M:2016, CE certificate, WHO-GMP certificate, IGBC membership & valid	

Swood

		copy of certificates should be uploaded. Vendor must be BIFMA				
		MEMBER company from last 10 years.				
13. Computer table Wooden computer table with Overall Size: W-800 x D-430 x H- 750(mm) [31" x 17"]						
	4	Material Description:				
	the trigonal part	All material should be of 18mm thick.				
	to the engineers in	Wood based high quality Prelaminated particle board (PLB) of TESA with side edge sealed with 1mm & 2mm				
	a and a second	thick PVC edge band by hot melt glue process.				
	માં છ	 All panel should be both side same laminations. 				
		Good quality wire manager.	1.00			
	THE PROPERTY OF	 Good quality telescopic channel (EBCO) for key board 				
. 1	* t	tray.				
п	1 7 27 1	 Knock down design. 				
ji di	The state of the s	The bidder should have valid certifications for quality, environment,				
		energy etc. Such as ISO 9001:2015(NABCB accreditation)				
1	e i seg	14001:2015, OHSAS 45001:2018, ISO 50001:2018, ISO				
	ar w.	13485:2016, Green guard, ZED gold certificate, SEFA 8-M:2016,				
3		CE certificate, WHO-GMP certificate, IGBC membership & valid				
s) q	,×* 1	copy of certificates should be uploaded. Vendor must be BIFMA MEMBER company from last 10 years.				

हस्ताक्षर निविदादाता



डॉ. बी.आर.सी. कृषि अनुसंधान केन्द्र, मण्डोर —जोधपुर कृषि विश्वविद्यालय, जोधपुर

डाँ. बी.आर.सी. कृषि अनुसंघान केन्द्र, मण्डोर-जोघपुर को Executive desk, Office table, Multipurpose Lab Table with granite top, Executive High back chair, Executive visitor chair, Lab stool, Office almirah, Slotted angle rack, Filing cabinet, Computer ALL in one, Printer All in One, Multipurpose storage cabinet and Computer table आपुर्ति हेतु निविदा की शर्ते

1. इच्छुक निविदादाता निविदा निर्घारित प्रपत्र में भरकर कार्यालय समय में दिनांक 17.02.2025 को सुबह 11.30 बजे तक वित्तीय निविदा प्रपत्र एवं तकनिकी निविदा प्रपत्र अलग—अलग बंद लिफाफे में मय धरोहर राशि आवश्यक रूप से प्रस्तुत करेंगे। निविदा दर स्पष्ट रूप से अंको व शब्दों में लिखी होनी चाहिए।

2. निविदा प्रपत्र तथा निविदा की शर्ते कार्यालय से 500/- रूपये जमा करवाकर कार्यालय समय में दिनांक 02.02. 2025 की शाम 5.00 बजे तक प्राप्त की जा सकती है।

- 3. प्राप्त निविदाओं का निस्तारण उसी दिन दिनांक 17.02.2025 दोपहर 2.00 बजे पश्चात् उपस्थित निविदादाताओं के समक्ष कर दिया जाएगा। धरोहर राशि निविदादाता जिसके नाम से निविदा खुले उसके अलावा अन्य को कार्यादेश जारी होने के पश्चात् लौटा दी जावेगी।
- 4. फर्म का एम् एस एम् इ रजिस्ट्रेशन एवं GST No. का विवरण स्व सत्यापित प्रतिलिपि लगाना आवश्यक है।

5. सभी उपकरण एवं सामग्री आई एस ओ प्रमाणित एवं अच्छी गुणवत्ता के होने चाहिए।

6. कार्यादेश जारी होने के 15 दिन के अंदर कार्यादेशानुसार सामान आपूर्ति, इंस्टालेशन एवं फिटिंग करनी होगी एवं सामान की आपूर्ती कृषि अनुसंघान केन्द्र, मण्डोर पर स्वयं के माड़े पर करनी होगी। यदि उक्त में किसी भी स्तर/गुणवत्ता में कमी पाई गई तो निविदाकर्ता को मुगतान रोकने या कटौती करने का पूर्ण अधिकार होगा।

7. अनुबन्धित वार्षिक राशि की 5.0 प्रतिशत राशि जिसमें घरोहर राशि को संयोजित किया जा सकेगा, प्रतिभूति के रूप में कार्य आदेश से पहले, निर्धारित अवधि में जमा करवानी होगी।

8. उक्त निविदा में जारी की गई संख्या में कमी या बढ़ोतरी की जा सकती है।

9. राजस्थान Transparency in Public Procurement Rule 2013 एवं Act 2012 के प्रावधान प्रभावी रहेंगे।

10. निविदा स्वीकृत/अस्वीकृत/स्थिगत/निरस्त करने का पूर्ण अधिकार अद्योहस्ताक्षकर्ता को होगा।

(एस. के. मुंड)

क्षेत्रीय निदेशक अनुसंघान

मुझे (निविदादाता) समस्त उपरोक्त शर्ते मंजूर हैं एवं मैं उपरोक्त शर्तों पर कार्य करने के लिए सहमत हूँ।

हस्ताक्षर निविदादाता (ठेकेदार)

डॉ. बी.आर.सी. कृषि अनुसंधान केन्द्र, मण्डोर —जोधपुर कृषि विश्वविद्यालय, जोधपुर

डॉ. बी.आर.सी. कृषि अनुसंघान केन्द्र, मण्डोर-जोघपुर को Executive desk, Office table, Multipurpose Lab Table with granite top, Executive High back chair, Executive visitor chair, Lab stool, Office almirah, Slotted angle rack, Filing cabinet, Computer ALL in one, Printer All in One, Multipurpose storage cabinet and Computer table हेत् Additional Terms and **Conditions**

1	The OEM should have its own company registered in India (under Incorporation of Companies Act in
1 20	India) since last 10 years. Any representation through a Dealer/ Distributor/ Joint Venture/ consortium shall
	not be treated as OEM. It should be supported with necessary statutory documents.
2	The OEM should have service/support canter in Rajasthan. Required sales, service tax registration
	certificate shall be provided along with the bid.
3	All hardware products offered should be UL / CE /FCC /BIS /ROHS certified
4	The Manufacturer / Bidder should not be associated or have been associated in the past, directly
	or indirectly, with a firm or any of its affiliates which have been engaged by the purchaser to
	provide consulting services for the preparation of the design, specification, and other documents
	to be used for the procurement of the goods to be purchased under this invitation of tenders.
5	Manufacturer / Bidders shall not be under any declaration of ineligibility for corrupt and
	fraudulent practices issued by any state Government / GOI / Union tertiary. The
-	Manufacturer/Bidder should not be a defaulter of any financial institute or Bank and their assets
	should have never been put on auction for recovery of debts.
6	The Manufacturer / Didder should be in the business in Latin Co.
"	The Manufacturer / Bidder should be in the business in India for more than 3 years as on
10	30.12.2024. This should be supported by the certificate of registration issued under the
-	companies act by a competent authority.
7	The Manufacturer / Bidder for Technical Evaluation should submit catalogue, datasheet and
	other supporting document with complete technical details of the proposed solution. The
	respective features and specification should be publicly available on website having
1 850	videos/documents for verification. The bid evaluation committee if required may invite the
A	bidders for live demonstration to verify the proposed specifications /features, Bids failing to fulfil
4 - 0 000	technical evaluation and not able to showcase the features will be technically rejected
8	There should be no complaint against the Manufacturer/Bidder for poor performance of the
1	equipment supplied.
9	The Bidder has to quote all the products as per the Tender. Partial Bids will be rejected.
10	Organization- is the final authority to judge the tender called items and has every power - to
	accept or reject the same without assigning any reasons.
11	Vendor must provide technical compliance bid offer as per the following format only, without
	any ambiguities. As same will be send to Technical Committee for Technical scrutiny /
1111	evaluation. Partial / incomplete bid shall be liable for rejection.
12	The hidder should undertake to provide a few arts and the hidder should undertake to the hidder should undertake th
14	The bidder should undertake to provide after sale-service whenever needed by the purchaser.

क्षेत्रीय निदेशक अनुसंघान

मुझे (निविदादाता) समस्त उपरोक्त शर्ते मंजूर हैं एवं मैं उपरोक्त शर्तों पर कार्य करने के लिए सहमत हूँ।

डॉ. बी.आर.सी. कृषि अनुसंघान केन्द्र, मण्डोर —जोघपुर कृषि विश्वविद्यालय, जोघपुर

वित्तीय निविदा प्रपत्र

(Executive desk, Office table, Multipurpose Lab Table with granite top, Executive High back chair, Executive visitor chair, Lab stool, Office almirah, Slotted angle rack, Filing cabinet, Computer ALL in one, Printer All in One, Multipurpose storage cabinet and Computer table)

निविदादाता का नाम व पूरा पताः
दूरभाष नंबर यदि हो:मोबाइल नं
Executive desk, Office table, Multipurpose Lab Table with granite top, Executive High back chair, Executive visitor chair, Lab stool, Office almirah, Slotted angle rack, Filing cabinet,
Computer ALL in one, Printer All in One, Multipurpose storage cabinet and Computer table की दरों का विवरण

S. No.	Item	Qty. (No.)	Rate in INR	
1.	Executive desk	01	Rs	
2.	Office table	02	Rs	
3.	Multipurpose Lab Table with granite top	02	Rs	
4.	Executive High back chair	01	Rs	
5.	Executive visitor chair	03	Rs	
6.	Lab Stool	06	Rs	
7.	Office almirah	02	Rs	
8.	Slotted angle rack	04	Rs	
9,	Filing cabinet	02	Rs	
10.	Computer ALL in one	01	Rs	
11.	Printer All in One	01	Rs	
12.	Multipurpose storage cabinet	01	Rs	
13.	Computer table	01	Rs	
Total Price in INR Rs				
Total Price (in words): Rs.				

CGST-SGST सहित किसी भी प्रकार का कर निविदादाता द्वारा दी गयी दर में सम्मलित रहेगा एवं आपूर्ति हेतु जो भी दस्तावेज आवश्यक हो, प्रस्तुत करने होंगे।

Smoot

हस्ताक्षर निविदादाता