



कार्यालय भू-सम्पदा अधिकारी
कृषि विश्वविद्यालय, जोधपुर, 342 304 राजस्थान (भारत)
OFFICE OF ESTATE OFFICER
AGRICULTURE UNIVERSITY, JODHPUR-342 304 RAJASTHAN (INDIA)

Phone: 9460282361 (M)

E Mail: eoaujodhpur@gmail.com

Estate Officer

कमांक- भूअ./निविदा/2026-27/ 640-44

दिनांक- 30/09/2026

-: ई-निविदा सूचना संख्या 07/2026-27 :-

कृषि विश्वविद्यालय, जोधपुर माननीय कुलगुरु महोदय की ओर से निम्नलिखित कार्य हेतु उपयुक्त श्रेणी में सार्वजनिक निर्माण विभाग में पंजीकृत संवेदको/राज्य सरकार/केन्द्र सरकार के अधिकृत संगठनों/केन्द्रीय लोक निर्माण विभाग/डाक एवं दूरसंचार विभाग/रेलवे इत्यादि में पंजीकृत संवेदको से निर्धारित प्रपत्र में ई-प्रोक्युरमेंट प्रक्रिया हेतु ऑन-लाईन निविदाएं आमंत्रित की जाती हैं।

निविदा फार्म ऑन-लाईन वेबसाइट से दिनांक 30.09.2026 प्रातः 10.00 बजे से 12.10.2026 सांय 5:00 बजे तक डाउनलोड की जाकर ऑन-लाईन निविदाएं पुनः इसी वेबसाइट पर जमा कराने की तिथि 12.10.2026 सांय 5.00 बजे तक रहेगी। वेबसाइट पर तकनीकी निविदाएं दिनांक 13.10.2026 को प्रातः 12.00 बजे बिड खोली जावेगी।

निविदादाता द्वारा निविदा शुल्क, धरोहर राशि तथा प्रोसेसिंग शुल्क भू-सम्पदा अधिकारी कार्यालय, कृषि विश्वविद्यालय, जोधपुर (Estate officer, Agriculture University, Jodhpur) में निविदा खोलने से पूर्व दिनांक 13.10.2026 को प्रातः 11:00 बजे तक जमा करवाना आवश्यक है।

प्रोसेसिंग शुल्क प्रत्येक निविदा के लिए 1500/- रु. का डी.डी. Managing Director RISL जयपुर के नाम देय होगी तथा निविदा शुल्क 2000/- एवं धरोहर राशि के डी.डी./बैंकर्स चेक द्वारा भू-सम्पदा अधिकारी कार्यालय, कृषि विश्वविद्यालय, जोधपुर (Estate officer, Agriculture University, Jodhpur) के नाम से ही जमा की जायेगी।

निविदा को निरस्त करने/संशोधन करने/स्वीकृत करने का पूर्ण अधिकार बिना कारण बताये अधो हस्ताक्षरकर्ता के पास सुरक्षित रहेगा।

क. सं.	कार्य का नाम	अनुमानित लागत (लाखों में)	कार्य पूर्ण करने अवधि	निविदा शुल्क	धरोहर राशि	प्रोसेसिंग शुल्क
1.	Extension of Guest House of Agriculture University, Jodhpur	82.78	12 माह	2000/-	166000/-	1500/-

आर.पी.डब्ल्यू.ए. 100 एवं Rajasthan Transparency in public procurement act 2012 की शर्तें लागू होगी तथा कार्यो का डिफ़ैक्ट लायबिलिटी अवधि कार्य समाप्ति की दिनांक से निविदा प्रपत्र अनुसार होगा।

नोट :- निविदा से सम्बन्धित पूर्ण विवरण वेब साईट www.aujodhpur.ac.in, www.sppp.rajasthan.gov.in / www.dipr.rajasthan.gov.in/tenders.asp एवं www.eproc.rajasthan.gov.in देखा जा सकता है।

भू-सम्पदा अधिकारी,
कृषि विश्वविद्यालय, जोधपुर

कमांक- भूअ./निविदा/2026-27/ 641-44

दिनांक- 30/09/26

प्रतिलिपि -

1. श्रीमान् वित्त नियंत्रक कृषि विश्वविद्यालय, जोधपुर को प्रस्तुत कर निवेदन है कि वे स्वयं या उनका प्रतिनिधि निविदा खोलने के समय उपस्थित होने का श्रम करावें।
2. प्रभारी अधिकारी, वेबसाइट इजचारज को भेजकर निवेदन है कि इस निविदा को विश्वविद्यालय की वेबसाइट पर अपलोड करवाने की शीघ्र व्यवस्था करें।
3. ठेकेदार यूनियन, पी.डब्ल्यू.डी. जोधपुर।
4. नोटिस बोर्ड।
5. रक्षित पत्रावली।

भू-सम्पदा अधिकारी,
कृषि विश्वविद्यालय, जोधपुर



Estate Officer

Phone: 9460282361 (M)

E Mail: eoaujodhpur@gmail.com

No. F () / EO/AUJ/2026-27/ 645

Date: 30/09/2026

कार्यालय भू-सम्पदा अधिकारी

कृषि विश्वविद्यालय, जोधपुर, 342 304 राजस्थान (भारत)

OFFICE OF ESTATE OFFICER

AGRICULTURE UNIVERSITY, JODHPUR-342 304 RAJASTHAN (INDIA)

ई-निविदा सूचना संख्या 07 / 2026-27

कृषि विश्वविद्यालय, जोधपुर के माननीय कुलगुरु महोदय की ओर से विश्वविद्यालय में विभिन्न स्थानों पर निर्माण कार्यों के लिए उपयुक्त श्रेणी में, इस विश्वविद्यालय में एवं अन्य विश्वविद्यालयों में, राज्य सरकार एवं राज्य सरकार के अधिकृत संगठनों तथा केन्द्र सरकार व केन्द्र सरकार के अधिकृत संगठनों, जो कि राज्य सरकार के उपयुक्त श्रेणी के समकक्ष हो व पंजीकृत संवेदको, फर्मों से ई-टेन्डरिंग के माध्यम से निर्धारित प्रपत्र में ऑन लाईन निविदा आमंत्रित की जाती है। निविदा से सम्बन्धित विवरण वेबसाईट www.aujodhpur.ac.in, www.sppp.rajasthan.gov.in व www.eproc.rajasthan.gov.in पर देखा जा सकता है।

क. सं.	कार्य का नाम	अनुमानित लागत (लाखों में)	कार्य पूर्ण करने अवधि	निविदा शुल्क	धरोहर राशि	प्रोसेसिंग शुल्क
1.	Extension of Guest House of Agriculture University, Jodhpur	82.78	12 माह	2000/-	166000/-	1500/-

- (1) निविदादाता द्वारा धरोहर राशि, निविदा शुल्क (भू-संपदा अधिकारी, कृषि विश्वविद्यालय, जोधपुर के नाम देय (Estate officer Agriculture University, Jodhpur) एवं प्रोसेसिंग शुल्क (in favour of MD RISL payable at Jaipur) सभी भू-सम्पदा अधिकारी, कृषि विश्वविद्यालय, जोधपुर के कार्यालय में दिनांक 13.10.2026 प्रातः 11:00 तक बैंकरर्स चेक/डीडी के रूप ही जमा करवानी है। इस निविदा हेतु किसी भी प्रकार की एफडीआर स्वीकार्य नहीं होगी। उपरोक्त दस्तावेज जमा नहीं करवाने की अवस्था में निविदादाता की निविदा तकनीकी बिड नहीं खोली जायेगी।
- (2) निविदा प्रपत्रों हेतु आवेदन/डाउनलोड की अवधि दिनांक 30.09.2026 प्रातः 10.00 बजे से 12.10.2026 सांय 5:00 बजे तक रहेगी।
- (3) (अ) निविदा प्रपत्र इलेक्ट्रॉनिक फोरमेट में वेबसाईट www.eproc.rajasthan.gov.in पर दिनांक 30.09.2026 प्रातः 10.00 बजे से 12.10.2026, सांय 5.00 बजे तक जमा कराये जा सकते हैं एवं प्राप्त निविदाएँ, इलेक्ट्रॉनिक फोरमेट में वेबसाईट www.eproc.rajasthan.gov.in पर तकनीकी निविदाएं दिनांक 13.10.2026 को प्रातः 12:00 बजे बिड खोली जायेगी। यदि किसी कारणवश उस दिन अवकाश रहता है तो अगले दिन उसी समय व उसी स्थान पर निविदाएँ खोली जायेगी।
(ब) निविदा जमा करवाने के बाद निविदा की समस्त प्रक्रिया ऑन लाईन होगी।
(स) निविदा खोलने की तिथि को किसी कारणवश यदि सारी निविदाएँ नहीं खोली जा सकती है तो उसके अगले कार्य दिवस में शेष निविदाएँ खोलने का कार्य जारी रखा जायेगा
(द) भवन निर्माण कार्य जिनकी लागत रु. 200 लाख से कम की निविदायें की वित्तिय बिड निर्धारित तिथि को खोली जायेगी, रु. 200 लाख से उपर की निविदायें के लिए पोटेंशियल बिड पद्धति अपनाई जायेगी एवं रु. 10000 लाख से अधिक की निविदायों के लिए पोस्ट क्वालिफिकेशन पद्धति अपनाई जायेगी। उसके अनुसार तकनीकी आकलन में सफल निविदादाताओं की वित्तिय बिड को खोलने की सूचना निविदादाताओं को ई-मेल से दी जायेगी।
- (4) कार्य करने हेतु स्थल उपलब्ध है।
- (5) कार्यों के सम्मुख उपरोक्तानुसार वर्णित कार्यालय में संवेदक द्वारा दिनांक 30.09.2026 से 12.10.2026 तक किसी भी कार्य दिवस में निविदा प्रपत्र को देखा जा सकता है अथवा वेबसाईट

- www.eproc.rajasthan.gov.in तथा www.sppp.rajasthan.gov.in पर भी देखा जा सकता है। निविदा प्रपत्रों में निविदाकर्ता के लिए योग्यता सूचना तथा निविदाकर्ता की पात्रता, प्लान, स्पेसिफिकेशन, ड्राइंग विभिन्न कार्यों की मात्रा एवं दरों का विवरण, नियम, शर्तें एवं अन्य विवरण वर्णित है।
- (6) निविदादाता द्वारा निविदा शुल्क/ धरोहर राशि / प्रोसेसिंग शुल्क अथवा निविदा प्रपत्रों में वर्णित किसी एक प्रकार के रूप में निविदा खोलने वाले कार्यालय में दिनांक 13.10.2026 को प्रातः 11:00 बजे तक जमा करवाना आवश्यक है।
 - (7) निविदा खोलने की दिनांक से भू-सम्पदा अधिकारी द्वारा स्वीकृत की जाने वाली निविदा की अवधि 45 दिन तथा वि. विद्यालय स्तर पर कमेटी द्वारा स्वीकृत की जाने वाली निविदा की अवधि 90 दिन, तक निविदा स्वीकृति हेतु मान्य (open) रहेगी। यदि निविदाकर्ता उस अवधि में अपनी निविदा अथवा शर्तों में किसी प्रकार का संशोधन करता है अथवा अपनी निविदा वापस ले लेता है तो उसकी धरोहर राशि जब्त कर ली जावेगी।
 - (8) यदि संवेदक का नजदीकी रिश्तेदार (प्रथम रक्त सम्बन्धी व उनके पति/पत्नी) कार्य से सम्बन्धित कार्यालय भू-सम्पत्ति अधिकारी, कृषि विश्वविद्यालय, जोधपुर में लेखाकार अथवा सहायक अभियन्ता से लेकर उच्च स्तर के अभियन्ता वर्ग तक का किसी भी स्तर पर पदस्थापित हो तो उसके कार्य पर नियुक्त करने पर प्रतिबन्ध रहेगा।
 - (9) विश्वविद्यालय में किसी भी इंजीनियर अथवा इंजीनियरिंग या प्रशासनिक कार्य पर नियुक्त राजपत्रित अधिकारी विश्वविद्यालय अनुमति के बिना सेवानिवृत्ति के 2 वर्ष तक संवेदक अथवा उसके कर्मचारी के रूप में कार्य नहीं कर सकेंगे। यदि संवेदक अथवा उसके कर्मचारी में कोई ऐसा व्यक्ति जिसने विश्वविद्यालय की उक्त लिखित अनुमति निविदा जमा कराने से पहले अथवा संवेदक के यहाँ सेवाएँ लेने से पहले अनुमति नहीं ली है तो अनुबन्ध रद्द किया जा सकेगा।
 - (10) किसी भी निविदा को स्वीकार करने एवं बिना कारण बताये निरस्त करने के समस्त अधिकार सक्षम अधिकारी के पास सुरक्षित है। आर.पी.डब्ल्यू. ए-100 (आज दिनांक तक संशोधित) की समस्त शर्तें मान्य होगी।
 - (11) संवेदक द्वारा उक्त कार्यों के लिए निर्धारित मशीनरी इत्यादि स्वयं के पास होने या किराये पर लेने का प्रमाण-पत्र देना होगा।
 - (12) कार्य पूर्ण करने की अवधि में मानसून अवधि सम्मिलित है।
 - (13) कार्य की लागत ('जी' अनुसूची में दर्शायी) 10.00 लाख से अधिक राशि पर कार्य के दोष निवारण एवं उनके सुधार (05 वर्ष डिफेक्ट लाइबिलिटी पिरियड) का उत्तरदायित्व कार्य पूर्णता के पश्चात मुख्य अभियन्ता, सा.नि.वि. राजस्थान जयपुर के आदेश क्रमांक D-136 दिनांक 30.12.2020 लागू होगा।
 - (14) संवेदक द्वारा निम्न दस्तावेज अपनी निविदा के साथ अपलोड करने पर ही उनकी निविदा को खोला जायेगा :-
 - (क) फर्म का पंजीकरण प्रमाण पत्र
 - (ख) बिक्री कर शोधन एवं जी.एस.टी. प्रमाण पत्र, जो निविदा खुलने की तिथि से 3 माह पूर्व तक वैध हो।
 - (ग) निविदा में दर्शाये अनुसार निविदा शुल्क, धरोहर राशि एवं प्रोसेसिंग शुल्क।
 - (घ) सलग्न परिशिष्ट 'क' के अनुसार फर्म के लेटर हेड पर घोषणा पत्र।
 - (ङ) फर्म का पी एफ रजिस्ट्रेशन
 - (च) निविदा में दर्शाये अनुसार विशेष शर्तों हेतु सहमति पत्र
 - (15) अनबेलेन्स बिड की स्थिति में Additional Performance Security के लिए विभाग द्वारा दिनांक 22.11.2021 को जारी नवीनतम नोटिफिकेशन के अनुसार निविदादाता को उसमें लिखित समस्त भातों को पालन करना होगा।
 - (16) ज्वाइंट वेंचर के माध्यम से कार्य हेतु निविदा स्वीकार्य नहीं होगी। संवेदक को स्वयं की फर्म के माध्यम से निविदा में भाग लेना होगा।
 - (17) संवेदक का रजिस्ट्रेशन राजस्थान राज्य के किसी संबंधित विभाग या केन्द्र के किसी विभाग में रजिस्ट्रेशन होना आवश्यक है। अन्य राज्य में रजिस्ट्रेशन के साथ निविदा स्वीकार्य नहीं होगी।

(18) ई-टेन्डरिंग के लिए निविदादाता हेतु निर्देश :-

- (अ) इन निविदाओं में भाग लेने वाले निविदादाता निविदा प्रपत्रों का इन्टरनेट साईट www.eproc.rajasthan.gov.in से डाउनलोड (download) कर सकते हैं। निविदादाता द्वारा निविदा शुल्क नकद अथवा डिमांड ड्राफ्ट के रूप में संबंधित कार्यालय में निर्धारित तिथि तक जमा करवाना आवश्यक है।
- (ब) निविदाओं में भाग लेने वाले निविदादाताओं को इन्टरनेट साईट www.eproc.rajasthan.gov.in पर पंजीकरण करवाना होगा। ऑन लाइन निविदा में भाग लेने के लिए डिजिटल सर्टिफिकेट इनफोरमेशन टेक्नोलॉजी एक्ट 2000 के तहत प्राप्त करना होगा, जो इलेक्ट्रॉनिक निविदा में साइन करने हेतु काम आयेगा। निविदा दाता उपरोक्त डिजिटल सर्टिफिकेट सी.सी.ए. (CCA) द्वारा स्वीकृत एजेन्सी से प्राप्त कर सकते हैं। जिन निविदादाताओं के पास पूर्व में वैध डिजिटल सर्टिफिकेट है, नया डिजिटल सर्टिफिकेट लेने की आवश्यकता नहीं है।
- (स) निविदादाताओं को निविदा प्रपत्र इलेक्ट्रॉनिक फॉर्मेट में उपरोक्त वेबसाइट पर डिजिटल साइन के साथ प्रस्तुत करना होगा। जिसके प्रस्ताव डिजिटल साइन के साथ नहीं होंगे, उनके प्रस्ताव स्वीकार नहीं किये जायेंगे। कोई भी प्रस्ताव अकेले भौतिक फार्म में स्वीकार्य नहीं होगा।
- (य) इलेक्ट्रॉनिक निविदा प्रपत्रों को जमा करवाने से पूर्व निविदादाता यह सुनिश्चित कर लेवे कि निविदा प्रपत्रों से सम्बन्धित सभी आवश्यक दस्तावेजों की स्कैन कॉपी निविदा प्रपत्रों के साथ सलंगन कर दी गयी है।
- (र) कोई भी टेंडर इलेक्ट्रॉनिकली जमा कराने में किसी कारण देरी हो जाता है तो उसका जिम्मेदार विभाग नहीं होगा।
- (ल) प्रोसेसिंग शुल्क प्रत्येक निविदा के लिए डी.डी. एम.डी.आर.आई.एस.एल. जयपुर के नाम देय होगी तथा निविदा शुल्क का डी.डी./बैंकर्स चैक एवं धरोहर राशि भू- सम्पदा अधिकारी कार्यालय, कृषि विश्वविद्यालय, जोधपुर (**Estate Officer, Agriculture University, Jodhpur**) के नाम से ही जमा की जायेगी।
- (व) संवदेक निविदा के साथ अपलोड की गई मूल टेंडर फीस, टेंडर प्रोसेसिंग शुल्क, धरोहर राशि एवं इसी निविदा से संबंधित मूल भापथ-पत्र इत्यादि भौतिक रूप से निर्धारित समयावधि में जमा करवाना अनिवार्य है।

यदि किसी निविदादाता द्वारा ऑन लाईन टेन्डर प्रक्रिया में भाग नहीं लेने पर टेन्डर शुल्क एवं प्रोसेसिंग शुल्क वापिस नहीं लौटाया जावेगा। कार्य सम्पादन पर देय सभी प्रकार के कर निविदादाता को वहन करना होगा।

सलंगन:- परिशिष्ट 'क' घोषणा पत्र का प्रारूप



भू- सम्पदा अधिकारी,
कृषि विश्वविद्यालय, जोधपुर

परिशिष्ट 'क'
(फर्म के लेटर हेड पर)

मैं (नाम) (पिता का नाम) (उम्र) जाति
..... व्यवसाय निवासी का हूँ जो कि शपथ पूर्वक यह धोषणा करता हूँ
कि—

1. मैं मेरी/हमारी फर्म का एक मात्र मालिक/हिस्सेदार हूँ तथा मैं यह धोषणा पत्र हस्ताक्षरित करने हेतु अधिकृत हूँ।
2. मेरी/हमारी फर्म विभाग में श्रेणी में स्थायी/अस्थायी रूप से पंजीकृत है तथा यह पंजीयन आज दिनांक तक वैध है।
3. मेरे द्वारा भू सम्पदा अधिकारी कृषि विश्वविद्यालय, जोधपुर द्वारा जारी निविदा सूचना संख्या में वर्णित पात्रता सम्बन्धी समस्त शर्तों का अध्ययन कर लिया है तथा समस्त शर्तें मुझे मान्य हैं एवं मेरी/हमारी फर्म उक्त निविदा के कार्य क्रम संख्या में निविदाएँ भरने हेतु पात्र है।
4. इन कार्यों को करने हेतु मेरी/हमारी फर्म के पास आवश्यक समस्त मशीनरी एवं अन्य संसाधन उपलब्ध है।
5. मेरे द्वारा उक्त निविदा में प्रस्तुत किए गये समस्त दस्तावेज पूर्णतः वैध हैं तथा समस्त तथ्य सही हैं। मैंने कोई भी तथ्य छिपाया/घाटाया/बढ़ाया नहीं है।

उपरोक्त शपथ पत्र के क्र.स. 1 से 5 में वर्णित तथ्य मेरी निजी जानकारी अनुसार सही हैं जिन्हें मैं सही होना मानता हूँ। ई वर मेरी मदद करें।

फर्म का पुरा पता:—.....

.....

पैन नं.

बैंक का विवरण —

बैंक का नाम मय शाखा

खाता संख्या

IFSC Code

(हस्ताक्षर शपथ ग्रहिता)

स्थान:—

दिनांक:—

ESTATE OFFICE AGRICULTURE UNIVERSITY, JODHPUR
Special conditions for Civil work

1. The Contractor shall execute all RCC works using Job Mix design and after testing of Constituent Materials from any govt. engineering college or any NABL accredited laboratory No Payment Shall be paid for this work
2. After the completion of the buildings structure and before commencing the finishing work, the contractor shall get the NDT testing (UPV and rebound hammer test) of the entire structure (footings, columns, beams & Slabs etc.) done by any govt engineering college or NABL accredited laboratory at their own expenses and submit the reports to Estate Officer. No Payment Shall be paid for this work
3. The Contractor will arrange electricity and water at his own Cost.
4. The Contractor shall not work after the sunset and before sunrise without specific permission of the authorized Engineer.



Estate officer
Agriculture University, Jodhpur

OFFICE OF ESTATE OFFICE AU JODHPUR**Name of Work: CONSTRUCTION WORK OF EXTENSION OF GUEST AT ,AU JODHPUR****G-SCHEDULE****Based on PWD BSR 2022**

S.No.	Particulars	Qty.	Unit	Rate	Amount
1	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15cm deep and disposal of rubbish lead up to 50 Mtr. and lift up to 1.5 Mtr. : All kinds of soil	350.00	Sqm	9.00	3150
2	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30cm in depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5 m , disposed earth to be levelled and neatly dressed : All kinds of soil	261.87	Cum	175.00	45827
3	Providing and laying in position cement concrete including curing compaction etc. of specified grade excluding the cost of centering and shuttering =All up to plinth level:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size).	76.51	Cum	3302.00	252639
4	Providing and injection Chloropyrifous Emulsifiable concentrate 20 % with 1 % concentration for PRE-CONSGTRUCTIONAL Anti termite treatment as per IS 6313 part III and amended from time to time and creating a continous chemical barrier under and around the column pits, wall trenches, basement excavation, top surface of plinth filling, junction of wall and floor along the external perimeter of building expansion joints, over the top surface of consolidated earth of which aproch is to be laid surrounding of pipes and conduits etc. complete as per specification (Plinth floor area only shall be measured for payment.)Heptachlor E.C. 20% with 10% concentration	260.68	Sqm	47.00	12252
5	Supplying chemical emulsion in sealed containers including delivery as specified. Chlorpyriphos/Lindane emulsifiable concentrate of 20%	65.17	litre	243.00	15836

6	Centering and Shuttering with plywood or steel sheets including strutting, propping bracing both ways and removal of formwork for foundation , footings, strap beam, raft , bases of columns etc.	147.96	Sqm	157.00	23230
7	Providing and laying in position specified grade of cement concrete for all RCC structural elements upto plinth level including curing, compaction, finishing with rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plastizers(if required) excluding the cost of centering, shuttering and reinforcement. M20 grade Nominal Mix / Design Mix.Add extra for providing richer mixes respectively at all floor levels. Providing M-25 grade concrete by using cement as per codal provision instead of M-20 grade design mix.	53.56	Cum	5003.00	267941
8	Centering & shuttering with plywood or steel sheets including strutting, propping bracing both ways with steel props and removal of formwork for upto floor five level forSuspended floors, roofs, landings, staircases, balconies, girders, cantilevers, bands, coping bed plates, anchor blocks, sills, chhajjas, lintel, beam, plinth beam etc.	609.46	Sqm	340.00	207217
9	Centering & shuttering with plywood or steel sheets including strutting, propping bracing both ways with steel props and removal of formwork for upto floor five level forColumns, pillars, posts and struts etc.	151.80	Sqm	375.00	56925
10	Providing and laying in position specified grade of cement concrete for RCC structural elements upto floor five level including curing, compaction, finishing with rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plastizers (if required) excluding the cost of centering, shuttering and reinforcement for Walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. M20 grade Nominal Mix / Design Mix	13.66	Cum	5678.00	77573

11	Providing and laying in position specified grade of cement concrete for RCC structural elements upto floor five level including curing, compaction, finishing with rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plastizers(if required) excluding the cost of centering, shuttering and reinforcement for Beams, suspended floors, roofs, griders having slopes up to 15°, landings, balconies, shelves, chajjas, lintels, bands, plain windows sills, staircases and spiral staircases etc. M20 grade Nominal Mix / Design Mix	129.25	Cum	5254.00	679080
12	Providing and fabricating reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding (including cost of binding wire) all complete up to floor five level. (Original producers' who manufacture billet directly from iron ores and roll the billets to produce steel conforming to IS:1786) Thermo-mechanically Treated bars (Conforming of relevent IS code)	28743.40	Kgs	77.00	2213242
13	Random Rubble stone masonry for foundation and plinth in Cement Sand Mortar above 30 Cm. thick wall in :Cement Mortar 1:6 (1-Cement:6-Sand).	174.09	Cum	2838.00	494065
14	Supplying and Filling in plinth with blown sand under floors including watering ramming consolidating and dressing complete including cost of sand.	104.29	cum	450	46930
15	Random rubble dry stone Kharanja under floor.	33.58	Cum	932.00	31292
16	Random Rubble stone masonry with hard stone in superstructure above plinth level and upto five level above 30cm. thick walls in : Cement Mortar 1:6 (1-Cement : 6-Sand).	90.51	Cum	3479.00	314895
17	Add extra for Random Rubble stone masonry with hard stone in Wall upto 30cm. and less thickness.	90.51	Cum	186.00	16835
18	Add extra for facing as per design and detailed specifications including additional cost of stones Course rubble facing Second sort.	301.71	Sqm	491.00	148140
19	Add extra for facing as per design and detailed specifications including additional cost of stones Course rubble facing First sort.	301.71	Sqm	618.00	186457

20	Pointing on stone masonry in cement sand mortar 1:3 (1 cement : 3 sand) :Deep groove pointing	301.71	Sqm	220.00	66376
21	Add extra for rock facing using Jodhpur white sand stone with proper projection and chisel dressing of edges of stone 2 line dressing for building corners,jambes including uniform joints.	301.71	Sqm	290.00	87496
22	Supply and fixing Jodhpur sand stone Machine cut Dash, Coving,sill,lintel fixed in cement sand mortar 1:4.9 cm (3.5") thick	34.97	Sqm	2081.00	72762
23	Half brick masonry in Superstructure , above plinth level upto floor V level using bricks of designation 75 Cement mortar 1 : 4 (1 cement : 4 coarse sand)	86.34	Sqm	553.00	47745
24	Brick work with F.P.S. bricks of class designation 75 in superstructure above plinth level upto floor V level in all shapes and sizes in : Cement mortar 1 : 6 (1 cement : 6 coarse sand)	32.33	cum	4990.00	161322
25	Grading roof for water proofing treatment with water proffing compound Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	67.43	Cum	4483.00	302275
26	Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 stone aggregate 10mm and down gauge) including finishing with cement mortar 1:3 (1 cement : 3 fine sand) as per standard design :	150.00	Rmtr	111.00	16650
27	Providing & laying broken glazed tiles on roof (broken glazed tiles not less than 9 Kg/Sqm) on top of hot bitumen @ 1.7 Kg/Sqm. (1.40 Kg of VG-40 (30/40)grade and 0.30 Kg/Sqm. Of VG-10 (80/100) grade) and joints filled with cement mortar 1 :2 (1 cement:2 marble dust mixed with water proofing compund all complete as per direction of Engineer-in-charge.	662.75	Sqm	317.00	210092
28	Plaster on new surface on walls in cement sand mortar 1:6 including racking of joint etc. complete fine finished: 20 mm thick.	729.72	Sqm	190.00	138646
29	6mm cement plaster to ceiling of mix 1:3 (1 Cement : 3 fine sand)	364.89	Sqm	139.00	50720

30	Plaster on new surface on walls in cement sand mortar 1:6 including racking of joint etc. complete fine finished: 25 mm thick	375.19	Sqm	211.00	79165
31	Making grooves as per design in plaster 10mm to 20mm wide.	3000.00	rm	7.00	21000
32	Providing and fixing 1st quality standard white, grey, ivory, fume red brown, light green, light blue and other light shades glazed tiles confirming to IS : 13753 & IS :15622 of size 200mm x 300mm in walls, floors, steps, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (excluding the cost of cement plaster on walls and pillar).	188.54	sqm	674.00	127075
33	Providing and fixing 1st quality MAT finished ceramic tile size 300x300mm confirming to IS : 13755 and IS : 15622 colour such as white, grey, ivory, fume red brown, light green, light blue and other light shades in floors, steps, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (including the cost of cement mortar bed 1:4).	51.55	sqm	748.00	38559
34	P & F 1st qualityVitrified Porcelain Polished tiles on floor, skirting and steps etc.in different sizes (thickness to be specified by manufactuer) with water absortion less than 0.08% and conforming to IS 15622 of approved make in all colour and shade, laid with 20 mm thick CM 1 : 4 including grounting the joints with white cement and matching pigment etc complete.size 600 mm X 600 mm	110.10	Sqm	911.00	100301
35	Providing and fixing Granite stone slab mirror polished and machine edge cut in walls, pillars, steps, Shelves, Sills Counters, Floors etc. laid on 12mm (Av.) thick base of cement mortar 1:3 (1 cement : 3 coarse sand) jointing with white cement mortar 1:2 (1white cement : 2 marble dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete; Rajasthan Black.Above 3601 Cm2 Slabs.	150.76	Sqm	3028.00	456489

36	Providing and applying white cement based putty over plastered surface to prepare the surface even and smooth complete New Plastered Surface (three or more coats)	1230.07	Sqm	84.00	103326
37	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade including all scaffolding:	1230.07	Sqm	80.00	98405
38	Providing and fixing external grade board solid core single leaf flush door shutters ISI 2202-67 marked using Phenol formal dehyderesin in glue both sides with approved steel fittings complete as per annexure 'A' : 35 mm thick . Commercial Veneer both side	37.35	Sqm	1991.00	74364
39	Extra for cutting rebate in flush door shutters (Total area of the shutter to be measured).	37.35	Sqm	89.00	3324
40	For Internal teak wood lipping in 25mm depth in single leaf.	37.35	Sqm	141.00	5266
41	Providing and fixing curtain rods of 1.25 mm thick chromium plated brass plate, with two chromium plated brass brackets fixed with C.P. brass screws and wooden plugs, etc., wherever necessary complete:20 mm	30.00	Rmts	266.00	7980

42	Providing and fixing of uPVC Sliding windows: Frame Made from the Extruded uPVC Window Profile Section of size 106w x 50h mm having outer wall thickness of 2.5mm (+/- 0.2mm) and 3 box multi-chamber construction, White in finish, duly reinforced with 1.2 mm thick GI section. Frame shall have three track configuration, two for sliding of window shutter and one for mosquito mesh shutter. Vertical member of frame which bears the sliding shutter load shall have aluminium rail/track for smooth sliding of shutter rollers. All the four corners shall be mitered cut & thermal welded so as to form window frame. Frame shall be milled with drain and air equalizer hole in order to be water tight and for drainage of accumulated water, if any, to outer side. Shutter : The shutter of sliding window shall be made of 39w x 69h mm Extruded 3 box multi-chamber uPVC Window Profile Section of white colour having outer wall thickness of 2.5mm (+/- 0.2mm) provided with reinforcement of 1.5mm thick GI section duly mitered cut & thermal welded at all corners and fitted with uPVC glazing bead of size 22 x 20 mm with inner and outer co-extruded EPDM/TPE-E weather seal gaskets alongwith 6mm thick ISI make plain float	26.64	sqm	8443.00	224922
43	Providing and fixing pressed steel door frames conforming to IS 4351 manufactured from commercial mild steel sheet of 1.25 mm thickness including hinges jamb, lock jamb, bead and if required angle threshold of mild steel angle of section 50x25mm, or base ties of 1.25mm pressed mild steel welded or rigidly fixed together by mechanical means, adjustable lugs with split end tail to each jamb including steel butt hinges 2.5mm thick with mortar guards, lock strike-plate and shock absorbers as specified and applying a coat of approved steel primer after pre-treatment of the surface including filling with CC 1:2:4(M15 grade) complete as directed by Engineer-in-charge : Profile E	123.30	Rmts	506.00	62390
44	Providing and fixing Square bars or other flat welded to window, ventilations etc.	296.96	Kg	65.00	19303

45	Providing and fixing steel gate, grating , and grills made of angles, tees, square bars, flats,or black pipe with holdfast and fittings complete as per design and drawing including cutting welding and fabrication with priming coat of red oxideAdd extra if square, rectangular hollow tubular sections are used.	200.00	Kg	105.60	21120
46	Applying priming coat: With ready mix pink or gray primer of approved brand and manufacture on wood work hard and soft wood.	37.35	Sqm	29.00	1083
47	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	93.38	Sqm	69.00	6443
48	Repairs to plaster of thickness 12mm to 20mm in patches of area 2.5 sq. metres and under including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete including disposal of rubbish to the dumping ground within 50 m lead With cement mortar 1 :4 (1 cement : 4 coarse sand)	324.00	Sqm	235.00	76140
49	Extra for providing edge moulding to 15-18mm thick marble/ Granite/Kota stone counters, Vanities etc. including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite/Kota Stone Work. Half Edge moulding	400.00	rm	143.00	57200
50	Providing and fixing stainless steel railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners , stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-in-charge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.).Grade 204	100.00	kg	432.00	43200
51	P & F White Vitreous China <i>Double Syphonic European W.C.</i> (I.S:2556Mark) with mounted W.V.C. flushing cistern of (IS : 2556 Mark) of 10 litre capacity complete with all necessary internal fittings including cutting and making good the wall and floor.	4.00	each	12114.00	48456

52	Providing & Fixing premium quality WVC Urinal with PVC waste pipe, dome couplings, concealed iron brackets or screws etc. complete. Flat Back (large) or half stall size 590x375x390 mm.	4.00	each	6246.00	24984
53	Providing & Fixing premium quality WVC Wash basin with C.I. brackets duly painted & 32 mm C.P. brass waste coupling of approved make with PVC waste pipe complete. Size 550 mm x 400 mm dia for counter top.	4.00	each	3372.00	13488
54	Providing and fixing Superior quality CP Brass fittings of approved make as per direction of Engineer-in-charge. Single lever wash basin mixer with 450 mm long copper connection pipe	4.00	each	4659.00	18636
55	P & F European type white glazed vitreous china 1 st quality W.C pan (IS : 2556 Mark) with P or S trap including cutting and making good the wall and floor	4.00	Each	2420.00	9680
56	P & F water closet Seat Covers with brass hinges complete : Solid PVC (ISI marked) grade-I White for EWC.	4.00	Each	485.00	1940
57	P&F Jet spray for water closet with C.P. copper tube flange of approved make	1.00	Each	381.00	381
58	P & F Low level Flushing Cistern of 10 litres capacity (IS:2556 mark) of approved make with complete fittings C.I. brackets duly painted, brass ball cock with ball, (IS:1703 mark) complete including cutting and making good the wall : PVC with PVC bend as per IS : 7231	2.00	Each	1291.00	2582
59	P & F Bib Cock (IS:8931 Mark) Superior quality of approved make : -do- Long body, 15 mm nominal bore weight not less than 690 gm.	1.00	Each	783.00	783
60	P & F WVC Wash basin (1st quality IS:2556 Mark) of approved make with C.I. brackets duly painted 1 No. 15 mm C.P. Pillar cock (IS:8934 Mark) & 32 mm C.P. brass waste coupling of approved make, P.V.C Waste pipe with PVC nut 32 mm complete including cutting & making good the wall : Size 550 mm x 400 mm	2.00	Each	2598.00	5196
61	P & F Inlet Connection (Angle Valves) Superior quality, of approved make, for Wash basin, Geyser etc. C.P. Inlet connection 15 mm Brass (IS:8931 marked). with 37 Cm. long pipe and nut.	12.00	Each	590.00	7080

62	P&F towel rail or ring of approved quality /make:C.P. brass towel rail with bracket 600 x20mm.	4.00	Each	337.00	1348
63	P&F Soap dish or tray of approved quality/ make.C.P. brass heavy and superior quality	2.00	Each	156.00	312
64	P & F <i>Bevelled edge Mirror/mirror with teak wood lipping around</i> of special glass of approved make as per direction of Engineer-in-charge complete with 6mm thick commercial ply base fixed to wooden screws & washers. Size 600 x 450mm x 4 mm thick	2.00	Each	575.00	1150
65	P & F PVC Storage Tank (IS:12701 marked indicating the BIS license No.) of approved make with cover, 25 mm dia 1 M long G.I. over-flow pipe & 25 Cm. long wash out pipe with plug & socket, including making connection etc. complete of approved design. 2000.0 Ltr.	1.00	Each	15682.00	15682
66	Hoisting Charges for each floor : For items 2.26.5 to 2.26.8	1.00	Each	157.00	157
67	P & F Full-way valve (IS:778 Mark) or wheel valve of approved make :Gun-metal 25 mm nominal bore.	1.00	Each	529.00	529
68	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes (IS 15778 : 2007 code) having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at 1 metre spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. (Internal work Exposed on wall)20 mm dia nominal bore.	50.00	Mtr.	222.00	11100
69	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes (IS 15778 : 2007 code) having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at 1 metre spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. (Internal work Exposed on wall)15mm dia nominal bore	50.00	Mtr.	191.00	9550


70	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes (IS 15778 : 2007 code) having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at 1 metre spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. (Internal work Exposed on wall)25 mm dia nominal bore	50.00	Mtr.	282.00	14100
71	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes (IS 15778 : 2007 code) having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings, this included jointing of pipes & fittings with one step CPVC solvent cement , trenching refilling & testing of joints complete as per direction of Engineer in Charge. (External work). 25 mm nominal size	4.00	Mtr.	262.00	1048
72	Providing and fixing unplasticized Poly Vinyl Chloride (UPVC) SWR pipes type 'B' for sciland waste dischareg system (IS : 13592: 1992 marked) of approved quality/ make. 110 mm dia	50.00	Mtr.	336.00	16800
73	Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592 : 1992 Marked) of approved quality /make(a) Bend 87.5 Dg. 110mm dia	2.00	Each	155.00	310
74	Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592 : 1992 Marked) of approved quality /make(b) WC connector (Bend) with ring 110mm dia	2.00	Each	226.00	452
75	Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592 : 1992 Marked) of approved quality /make(c) Vent Cowel 100 mm 110mm dia	2.00	Each	59.00	118

76	Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592 : 1992 Marked) of approved quality /make(d) Door Bend 87.5 Dg. 110mm dia	2.00	Each	193.00	386
77	Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592 : 1992 Marked) of approved quality /make(e) Pipe Clip 110mm dia	2.00	Each	31.00	62
78	Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592 : 1992 Marked) of approved quality /make(f) Coupler 110mm dia	4.00	Each	108.00	432
79	Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592 : 1992 Marked) of approved quality /make(g) Single Tee with door 110 mm. dia.	4.00	Each	242.00	968
80	Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592 : 1992 Marked) of approved quality /make(n) Nahni Trap with Jali 4" 110mm dia	5.00	Each	171.00	855
81	Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes fittings type B for sciland waste discharge system (IS:13592 : 1992 Marked) of approved quality /make(o) Multi floor trap 110mm dia	2.00	Each	241.00	482
82	Construction of Cement concrete chamber 125mm dia. CP Brass grating	2.00	Each	167.00	334
83	Providing Laying & jointing glazed S.W. pipes grade 'A' (IS:651 marked) of approved make with spun yarn & stiff mixture of cement mortar 1.1 excavation & refilling of earth in all types of soil upto 1.2m depth, S.W. fittings, including testing of joints etc, complete.(a) 150mm dia	40.00	Mtr.	406.00	16240

84	Providing Laying & jointing glazed S.W. pipes grade `A` (IS;651 marked) of approved make with spun yarn & stiff mixture of cement mortar 1.1 excavation & refilling of earth in all types of soil upto 1.2m depth, S.W. fittings, including testing of joints etc, complete.(b) 100mm dia	40.00	Mtr.	252.00	10080
85	Providing & Laying C.C. 1:5:10 (Stone aggregate 40mm nominal size) all around S.W. pipe including 15 Cm. thick bed concrete (Width W= Diameter of pipe in Cm+30 Cm.)(Excluding cost of pipe)(a) 150mm dia S.W. pipe	40.00	Mtr.	550.00	22000
86	Providing & Laying C.C. 1:5:10 (Stone aggregate 40mm nominal size) all around S.W. pipe including 15 Cm. thick bed concrete (Width W= Diameter of pipe in Cm+30 Cm.)(Excluding cost of pipe)(b) 100mm dia S.W. pipe	40.00	Mtr.	457.00	18280
87	P & F Square-mouth gully trap `A` grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonry chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3 complete as per approved design & type. Trap size 150 X 100mm, ferrow cement cover with frame, Internal Chamber size 300 X 300mm.	2.00	Each	1150.00	2300
88	P & F S.W. Master Trap (Inter-cepting) `A` grade (I.S.: 651 marked) of approved quality/make 150mm dia	1.00	Each	486.00	486
89	Construction of manhole in all type of soil inner size 90 X 60 Cm. 300 mm thick masonry in CM 1:6, 10 Cm. thick cement concrete 1:5:10 in foundation, 20 mm thick inside plaster in CM 1:6, finished with floating neat cement, 50mm thick M-15 grade C.C. flooring, making channels, 80mm thick stone slab covering with 40mm thick M-15 grade C.C. flooring, Cement cover with frame of 450mm dia, earthwork etc. complete as per design including disposal of surplus earth within 50 mtr. lead.Depth up to 0.5 M	2.00	Each	5489.00	10978

90	Construction of chamber in all type of soil with 300 mm thick masonry in Cm 1:6 m 100mm thick C.C. 1:5:10 in foundation, 20mm thick insider plaster in Cm 1:6, finished with floating neat cement, 50mm thick M-15 grade C.C. flooring , earthwork etc. complete as per design including disposal of surplus earth within a lead of 50 mtrInside size 300 X 300 mm depth upto 0.5 M Cement cover with frame.	2.00	Each	1049.00	2098
91	Construction of septic Tank in all types of soil with 40 Cm .thick masonry in CM 1:6, 15 Cm thick C.C bed of 1:5:10, M-15 grade C.C floor & RCC slab covering with M15 grade c.c. floor, 50 mm thick stone slab partition walls, 20 mm thick plaster in CM 1:6 finished with neat floating cement, 4 Nos stone foot rests of approved design ,two No. 450 mm dia each Ferro cement cover with frame, earth work etc. complete as per approved drawing including disposal of surplus earth within a lead of 50 mtr:- Size 400 x140x150 cm.(for 50 users) with 115 mm thick RCC (M-20) slab with Tor steel reinforcement 10mm ϕ @15 cm c/c bothways including shuttering complete in all respect.	1.00	Each	59860.00	59860
92	Construction of soakage well in all type of soil 300 mm thick dry masonry top and bottom 300 mm course in CM 1:6, 80 mm thick stone slab, jointing of slab in CM 1:3, Ralthal, Kharanja, 40 mm thick M-15 grade C.C. flooring, earth work complete as per approved drawing including disposal of earth within a lead of 50 mtr. :Size 300 Cm. dia outside & 300 Cm. depth.	1.00	Each	24135.00	24135
93	P&F rigid PVC Pipe (IS:4985 mark) class II(4 Kg. /Cm.) approved quality /make including joining the pipe with solvent cement rubber ring and lubricant(a) 110 mm. dia.	35.00	Mtr.	282.00	9870
94	P&F rigid PVC Pipe (IS:4985 mark) class II(4 Kg. /Cm.) approved quality /make including joining the pipe with solvent cement rubber ring and lubricant(b) 160 mm. dia.	35.00	Mtr.	463.00	16205

95	P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant:(a) Coupler (socket)110mm dia	10.00	Each	108.00	1080
96	P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant:b) Bend 87.5 degree110mm dia	1.00	Each	161.00	161
97	P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant:(c) Bend 45 degree110mm dia	1.00	Each	128.00	128
98	P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant:d) Pipe clip 110mm dia	5.00	Each	36.00	180
TOTAL					8278127.00


Estate Officer

Agriculture University
Jodhpur

I/We will agree to execute above work @% Above /Below

Annexure A : Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall -

- (a) not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) not indulge in any collusion, Bid rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- (e) not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) not obstruct any investigation or audit of a procurement process;
- (g) disclose conflict of interest, if any; and
- (h) disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of Interest:-

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of Interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

i. A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited to:

- a. have controlling partners/ shareholders in common; or
- b. receive or have received any direct or indirect subsidy from any of them; or
- c. have the same legal representative for purposes of the Bid; or
- d. have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
- e. the Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
- f. the Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or
- g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/ consultant for the contract.

Annexure B : Declaration by the Bidder regarding Qualifications

Declaration by the Bidder

In relation to my/our Bid submitted to for procurement of in response to their Notice Inviting Bids No..... Dated..... I/we hereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012, that:

1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the Bidding Document;
3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date:

Place:

Signature of bidder

Name :

Designation:

Address:

Annexure C : Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is _____

The designation and address of the Second Appellate Authority is _____

(1) Filing an appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued thereunder, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings:

Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

(4) Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:-

- (a) determination of need of procurement;
- (b) provisions limiting participation of Bidders in the Bid process;
- (c) the decision of whether or not to enter into negotiations;
- (d) cancellation of a procurement process;
- (e) applicability of the provisions of confidentiality.

(5) Form of Appeal

- (a) An appeal under para (1) or (3) above shall be in the annexed Form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.

- (c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorised representative.

(6) Fee for filing appeal

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

(7) Procedure for disposal of appeal

- (a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- (b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall,-
 - (i) hear all the parties to appeal present before him; and
 - (ii) peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

**Memorandum of Appeal under the Rajasthan Transparency in Public Procurement
Act, 2012**

Appeal No of

Before the (First / Second Appellate Authority)

1. Particulars of appellant:

(i) Name of the appellant:

(ii) Official address, if any:

(iii) Residential address:

2. Name and address of the respondent(s):

(i)

(ii)

(iii)

**3. Number and date of the order appealed against
and name and designation of the officer / authority
who passed the order (enclose copy), or a
statement of a decision, action or omission of
the Procuring Entity in contravention to the provisions
of the Act by which the appellant is aggrieved:**

**4. If the Appellant proposes to be represented
by a representative, the name and postal address
of the representative:**

5. Number of affidavits and documents enclosed with the appeal:

6. Grounds of appeal:

.....
.....
..... (Supported by an
affidavit)

7. Prayer:

.....
.....
.....

Place

Date

Appellant's Signature

Annexure D : Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i. if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- ii. if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- iii. if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

2. Procuring Entity's Right to Vary Quantities

- (i) At the time of award of contract, the quantity of Goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.
- (ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.
- (iii) In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the Supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the Supplier.

3. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods)

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.